



SAFETY DATA SHEET

MSDS :NPLK-010

Version No: 002

Nippolac Emulsion

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name : **Nippolac Emulsion**
Uses : Top coat – Interior emulsion
Supplier : Nippon Paint Lanka (Pvt) Ltd.,
Street Address :“Nippolac Towers”, No. 69A, Buthgamuwa Road, Rajgiriya, Sri Lanka.
Telephone Number : +94 11-4600400
Facsimile : +94 11-4600409
E-mail Address : www.nipponpaint.lk

CONTACT POINT

Designation : Head Of Technical Support
Telephone Number : +94 77-2284058

2. HAZARDS IDENTIFICATION

Physical Hazard

Not classified as an physical hazard under GHS criteria

Health Hazard

Skin corrosion/Irritation	Category 2
Serious eye damage/irritation	Category 2
Skin sensitization	Category 1

Environment Hazard

Not classified as an environmental hazard under GHS criteria

GHS Pictogram



Signal Word

Warning

Hazard statements

H315: Causes skin irritation
H317: May cause an allergic skin reaction
H319: Causes serious eye irritation

Precautionary statements

P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P264: Wash hands thoroughly after handling
P272: Contaminated work clothing should not be allowed out of the workplace
P280: Wear protective gloves/protective clothing/eye protection/face protection

Response

P321: Specific treatment (see Section 4 of SDS)
P362: Take off contaminated clothing and wash before reuse
P363: Wash contaminated clothing before reuse
P302+352: IF ON SKIN: Wash with soap and water

P332+313: If skin irritation occurs: Get medical advice/attention
P333+313: If skin irritation or a rash occurs: Get medical advice/attention
P337+313: Get medical advice/attention
P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

Storage

-

Disposal

P501: Dispose of contents/container to appropriate waste site or reclaimer in accordance with local or national regulations

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS No.	%
Titanium Dioxide	13463-67-7	5 - 10
Barium Sulphate	7727-43-7	1.5 - 3.3
Ingredients determined not be hazards		Up to 100%

4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Odour : Mild paint odour
Odour threshold : Not available
pH : 8-10
Melting point/freezing point : Not available
Initial boiling point and boiling range : Not available
Flash point : Not available
Evaporation rate : Not available
Flammability (solid, gas) : Not applicable
Lower flammability or explosive limit : Not available
Upper flammability or explosive limit : Not available
Vapour pressure : Not available
Vapour density : Not available
Relative density : Not available
Solubility : Miscible in water
Partition coefficient : Not available
Auto-ignition temperature : Not available
Decomposition temperature : Not available
Viscosity : 115-118ku

5. FIRST AID MEASURES

INHALATION	Move person to fresh air and call for medical assistance immediately. If not breathing, give artificial respiration, if breathing is difficult, give oxygen. Keep at rest.
SKIN CONTACT	In case of contact, immediately flush skin with large amounts of water and soap while removing contaminated clothing and shoes. If irritation persists, get medical attention.
EYE CONTACT	Immediately flush eyes with large amounts of water until irritation subsides. Remove contact lens
INGESTION	Obtain medical attention, preferably by an ophthalmologist, immediately. DO NOT induce vomiting unless directed to do so by a medical personnel. Never give anything by mouth to an unconscious person. Keep at rest. Get medical attention immediately.

6. FIRE FIGHTING MEASURES

SUITABLE FIRE EXTINGUISHING MEDIA

Alcohol-resistant foam, Carbon dioxide, or dry chemical type

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Combustion products may include and are not limited to: Carbon monoxide and Carbon dioxide.

SPECIAL PROTECTIVE ACTIONS FOR FIRE FIGHTERS

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus. o Use water spray to cool fire-exposed surfaces and to protect personnel. If a leak or spill has not ignited, use water spray to disperse the vapours.

If possible, isolate product from heat, electrical equipments, sparks and open flames. o Avoid spraying water directly into storage containers.

Closed containers may explode when exposed to extreme heat. o Avoid spreading burning liquid with water, isolate liquid.

Do not allow run-off from fire fighting to enter drains or watercourses.

7. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURE

Wear appropriate protective equipment, e.g. respirators, eye protection, gloves and safety shoes.

Avoid substance contact with eyes. Do not inhale vapours. Ensure supply of fresh air in enclosed rooms.

void substance contact with eyes. Do not inhale vapours..

ENVIRONMENTAL PRECAUTIONS

Eliminate sources of ignition. Keep public away.

Contain spilled liquid with sand or other non-combustible absorbent materials o Wash area and prevent runoff into drains and sewerage system.

Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.

METHODS AND MATERIALS FOR CONTAINMENTS AND CLEANING UP

Clean up all spills immediately.

Absorb spill with absorbent and inert material, then place in container.

Disposal in accordance to local/national regulations.

8. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Use appropriate personal protective equipment. Keep out of reach of children.

Handle containers with care. Open slowly in order to control possible pressure release. Do not pressurize containers.

Do not ingest. Do not breathe in gas/fumes/vapour. Avoid contact with skin and eyes. For personal protection, see section 8.

Use only in areas from which all naked lights and other sources of ignition have been excluded.

Take precautionary measures against static discharge. Protect from frost and extremes of temperature.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep containers tightly closed.

Containers that are opened should be properly resealed and kept upright to prevent leakage.

Store in cool, dry and well-ventilated place at temperature between 20°C to 40°C away from heat and sources of ignition.

9. EXPOSURE CONTROL AND PERSONAL

CONTROL PARAMETERS/OCCUPATIONAL LIMITS

Ingredient	ACGIH TLV-TWA		OSHA PEL-TWA	
	ppm	mg/m³	ppm	mg/m³
Titanium Dioxide	-	10	-	15
Barium Sulphate	-	10	-	15

APPROPRIATE ENGINEERING CONTROL MEASURES

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

Ensure eyewash stations and safety showers are close to the workstation location.

PERSONAL PROTECTION

Respiratory Protection: Use of SS548 or NIOSH-approved respirators with organic vapour cartridges is recommended.

Hand Protection: Use of solvent resistance type or chemical resistant type of protective gloves is recommended.

Eye Protection: Use of SS473(Part 2) approved safety glasses or goggles with side shields is recommended.

Skin / Body Protection: Wear chemical resistant clothes and SS 513 (Part 1) approved safety shoes when handling product.

10. STABILITY AND REACTIVITY

REACTIVITY No dangerous reaction known under condition of normal use.

CHEMICAL STABILITY The product is stable under recommended storage and handling conditions. (see section 7)

POSSIBILITY OF HAZARDOUS REACTION Under normal conditions of storage and use, hazardous reaction will not occur.

CONDITIONS TO AVOID Keep away from oxidising agents, strongly alkaline and strongly acidic materials in order to avoid exothermic reactions. Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, drill, grind or expose containers to heat or sources of ignition.

HAZARDOUS DECOMPOSITION PRODUCTS

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide, oxides of nitrogen and smoke

11. TOXICOLOGICAL INFORMATION

There is no data available on the product itself.

Toxicological information of ingredients:

Acute Oral toxicity

Harmful if swallowed.

	<u>Oral LD50(Rat), mg/kg</u>
Titanium Dioxide	24,000
1,2-Propanediol	20,000

Acute dermal/skin toxicity

	<u>Dermal LD50 (Rabbit), mg/kg</u>
Titanium Dioxide	10,000
1,2-Propanediol	10,000

Acute inhalation toxicity

Vapour concentrations above the recommended exposure levels may be irritating to the eyes and the respiratory tract, may cause headaches and dizziness, could be anesthetic and may have other central nervous system effects.

Inhalation Dust (Rat) LC50, mg/L/4hr

Titanium Dioxide	6.82
------------------	------

Skin corrosion or irritation

Causes skin irritation. Frequent or prolonged contact may dry the skin, leading to discomfort and dermatitis.

Serious eye damage or irritation

May be an eye irritant.

Respiratory or skin sensitisation

Vapour concentrations above the recommended exposure levels may be irritating to the eyes and

the respiratory tract,

Germ cell mutagenicity

No information available on the product.

Carcinogenicity

Titanium Dioxide

The International Agency for Research on Cancer (IARC) has classified Titanium Dioxide as possibly carcinogenic to humans (Group 2B) based on inadequate evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals

Reproductive toxicity

No information available on the product.

Specific Target Organ Toxicity (STOT)- single exposure

No information available on the product.

Specific Target Organ Toxicity (STOT)- repeated exposure

No information available on the product.

Aspiration hazard

No information available on the product.

12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity -No data available

Persistence and degradability

Biodegradation -No data available

Bioaccumulative potential -

No data available

Mobility in soil -No data available

Result of PBT and vPvB assessment -

No data available

Other adverse effects

There is no ecotoxicological test data available on the product itself.

The product should not be allowed to enter drains or water courses

13. DISPOSAL INFORMATION

The product should not be allowed to enter drains and watercourses. Preferred methods of waste disposal are incineration or biological treatment in federal/state approved facility. Empty containers should be recycled or disposed through an approved waste management facility or licensed contractor. All federal, state and local environmental regulations shall be observed.

14. TRANSPORT INFORMATION

Transport to be in accordance with ADR/RID for road, IMDG for sea and IATA for Air.

LAND TRANSPORT

Not classified as Dangerous Goods by the criteria of the European Agreement concerning the international carriage of Dangerous Goods (ADR) by Road & Regulations concerning the international carriage of Dangerous goods (RID) by Rail.

SEA TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport of Sea.

SEA (Annex II of MARPOL 73/78 and the IBC code)

Not applicable

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by Air

15. REGULATORY INFORMATION

Applicable national regulations:

SS586: 2008 – Standards on Hazard communication for hazardous chemicals and dangerous goods

- Part 1: Transport and storage of dangerous goods
- Part 2: GHS of classification and labelling of chemicals
- Part 3: Preparation of safety data sheet

MOM: Workplace Safety and Health Act & Workplace Safety and Health (General Provisions) Regulations

- This product is subject to SDS, labelling, PEL and other requirements in the Acts/Regulations

NEA: Environmental Protection and Management Act & Environmental Protection and Management (Hazardous Substances) Regulations.

- This product is not subject to control under this Acts/Regulations

16. OTHER INFORMATION

Revision date: 4- January -2019

Abbreviation

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold limit value

TWA Time-Weighted Average

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

LD50 Lethal Dose

LC50 Median lethal concentration

IACR International Agency for Research in Cancer

To the best of our knowledge, the information contained herein is accurate. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or completeness. Since the conditions of handling, storage, use and disposal are beyond our control and may be beyond our knowledge, for this and other reasons, we make no guarantee of results and assume no liability for damages incurred by the use of this product. Please be reminded that all chemicals may present unknown health hazards and should be used with caution.